

... nodes corresponding to the document's **tag** nesting (see ... identified by the string's offset in the **table**. ... it encounters a new node in the incoming **stream**. ...

[Cited by 53](#) - [Related articles](#) - [Web Search](#) - [All 19 versions](#)

A Better XML Parser through Functional Programming

O Kiselyov - LECTURE NOTES IN COMPUTER SCIENCE, 2002 - Springer

... **Table 1**. User/system times, in seconds, for running three ... of a recursive procedure handle-start-tag of the SSAX ... of) documents from a TCP pipe or other **stream**. ...

[Cited by 23](#) - [Related articles](#) - [Web Search](#) - [BI Direct](#) - [All 6 versions](#)

Efficient Access Using Hierarchical WML Decks for Multimedia Services under Wireless and Mobile

S.J. Oae-gun Kim, I. Choi, CH Kang - Management of Multimedia on the Internet: 5th IMA/IEEE ..., 2002 - books.google.com

... **Table 1**. The conversion process and examples for each **tag** ... to construct a **parse** tree from the **stream** data. ... separates the HTML contents into header, **tags** and data ...

[Related articles](#) - [Web Search](#)

Efficient Access Using Hierarchical WML Decks for Multimedia Services under Wireless and Mobile ...

D Kim, S.J Lee, I. Choi, CH Kang - LECTURE NOTES IN COMPUTER SCIENCE, 2002 - Springer

... **Table 1**. The conversion process and examples for each **tag** ... to construct a **parse** tree from the **stream** data. ... separates the HTML contents into header, **tags** and data ...

[Related articles](#) - [Web Search](#) - [BI Direct](#) - [All 6 versions](#)

Extraction of protein interaction information from unstructured text using a context-free grammar - [arxiv.org PDF](#) - [Free from Publisher](#)

JM Tenkin, MR Gilder - Bioinformatics, 2003 - Oxford Univ Press

... It then **parses** the input and generates a **stream** of tagged tokens based on the descriptions in **Table 2**. The lexical analyzer **tags** the input text by ...

[Cited by 52](#) - [Related articles](#) - [Web Search](#) - [BI Direct](#) - [All 9 versions](#)

Processing XML streams with deterministic automata and stream indexes - [umass.edu PDF](#)

T.J Green, A Gupta, G Miklau, M Onizuka, D Suciu - ACM Transactions on Database Systems (TODS), 2004 - portal.acm.org

... guarantees the throughput at which it can process the **stream** of XML ... figure The eager DFA needs to remember what subset of **tags** of {book, **table**, chapter, note ...

[Cited by 77](#) - [Related articles](#) - [Web Search](#) - [All 9 versions](#)

Optimizing the lazy DFA approach for XML **stream** processing

D Chen, RK Wong - ... of the 15th Australasian database conference-Volume 27, 2004 - portal.acm.org

... time complexity to process one event **tag** was shown ... is actually a position entry in the position **tables**. ... manipulate the byte offsets on the input buffer **stream**. ...

[Cited by 6](#) - [Related articles](#) - [Web Search](#) - [All 5 versions](#)

[PDF](#) •An Active Events Model for Systems Monitoring

PN Gross, S Gupta, GE Kaiser, GS Ko, JJ Parekh - Working Conference on Complex and Dynamic Systems ..., 2001 - cs.columbia.edu

... extra information is added to the data **stream** so that ... The Oracle then **parses** this file, identifying unique **tags**. ... then presented as the first column of a **table**. ...

[Cited by 36](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 7 versions](#)

[PDF](#) •Using XML to represent knowledge by frames

M Marinov - Proceedings of the 5th international conference on Computer ..., 2004 - eect.ecs.ru.acad.bg

... The **stream** of events approach is faster since it can be ... and reading the attributes

of every table and participating ... s ability to generate its own tags makes it ...

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 2 versions](#)

[PDF] •An evolution framework based on fine grained repository

N Fukuyasu, S Yamamoto, K Agusa, C Furui, I Nagaya ... - Proceedings of International Workshop on Principles of ..., 1999 - dontaku.csoe.kyushu-u.ac.jp

... Figure 4: Sequence diagram of the case that the **stream** !=?ISO-2022-JP ... HTML and its browsers are widely used, and the anchor tag of HTML ... table of global variables ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 2 versions](#)

[PDF] •Black-box Software Testing Using Module Interface Specifications

RF Abraham, Tno, McMaster University, ... - 1993 - cas.mcmaster.ca

... The C program generated by lex searches the input **stream** for regular ... all hash **table** entries to NULL, and then installs the **Tag** names in the **table** for later ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [All 3 versions](#)

Processing ASN. 1 specifications in a declarative language

C Wikstrom - Software Engineering for Telecommunication Systems and ..., 1992 - ieeeexplore.ieee.org

... of one type into a **stream** of bytes ... to trap abnormal termination of a **function** evaluation.This ... Person DEFINITIONS IMPLICIT TAGS := EXPOHTS Person; BEGIN Person ...

[Cited by 3](#) - [Related articles](#) - [Web Search](#) - [Bit Direct](#) - [All 3 versions](#)

Stream processing of XPath queries with predicates - *[washington.edu](#) (PDF)

AK Gupta, D Suciu - Proceedings of the 2003 ACM SIGMOD international conference 2003 - portal.acm.org

... 1, c/text(=2)); finally, when the end tag is ... The machine reads SAX events from the input **stream**. ... has 22 entries), and each is a hash **table** indexed by Σ ...

[Cited by 196](#) - [Related articles](#) - [Web Search](#) - [All 9 versions](#)

Storing and querying ordered XML using a relational **database system** - *[dds.nl](#) (PDF)

I Tatarinov, SD Vlas, K Beyer, ... - Proceedings of the 2002 ACM SIGMOD international conference 2002 - portal.acm.org

... **functions** go, XPath provides the position () **function**, as described ... **table** will typically be small since it only ... Storing paths instead of **tag** names can greatly ...

[Cited by 429](#) - [Related articles](#) - [Web Search](#) - [All 22 versions](#)

[PDF] •Evaluating Future Microprocessors: The SimpleScalar Tool Set

D Burger, TM Austin, S Bennett - 1996 - cs.utexas.edu

... and access per- missions for each memory **reference**. ... fcc floating point condition code **Table 1**: SimpleScalar ... handled by a different **function**: ffetch(), ldecode ...

[Cited by 650](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [Bit Direct](#) - [All 16 versions](#)

[PDF] •Program Editing in a Software Development Environment

SP Reiss - Brown U. Computer Science, 1995 - gsa.info

... If it is, the token **stream** sets the flag on the ... **TABLE 2**. Tokens set for declarations ... Macro definition ENUM_TAG_DEF Enumeration type **tag** definition TYPE_TAG_DEF ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 7 versions](#)

[PDF] •TypEx: A Type Based Approach to XML **Stream** Querying

G Russell, M Neumann, R Connor - Proceedings of the Sixth International Workshop on the Web ..., 2003 - cis.strath.ac.uk

... a la- bel corresponding to an XML **tag** label, and ... filter and multiple filters per data **stream**, affording a ... **Table 1** supports the observation gained from the news ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 6 versions](#)

Table extraction using conditional random fields - [umass.edu](#) [PDF]

D Pinto, A McCallum, X Wei, WB Croft - Proceedings of the 26th annual international ACM SIGIR ..., 2003 - [portal.acm.org](#)

... The features measure aspects of the input **stream** such as ... each line of a document with a **tag** that describes ... that appear below data but still apply to the **table**. ...

[Cited by 141](#) - [Related articles](#) - [Web Search](#) - [All 11 versions](#)

[PDF] •XML Accelerator Engine

J van Lintere, T Engbersen, J Boston, B Carey, C ... - First International Workshop on High Performance XML ..., 2004 - [zürich.ibm.com](#)

... mask current state flags next state output **table** address ... end **tag** matches a previously processed start **tag** and is ... in which the input character **stream** is tested ...

[Cited by 14](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 3 versions](#)

[book] Oracle Database 10g XML & SQL: XML & SQL: Design, Build & Manage XML Applications in Java, C, C++ & ...

MV Sardinia, B Chang, J Wang - 2004 - [books.google.com](#)

... 47 DTD Caching 47 Skipping the <DOCTYPE> **Tag** 47 ... Page 13. Contents xi Using External **Tables** 184 ... 453 Instantiating the Generic **Functions** with cpxextractForce 458 ...

[Web Search](#) - [All 2 versions](#)

A formal language model for parsing SGML

RW Maizen, KM George, GE Hedrick - The Journal of Systems & Software, 1997 - Elsevier

... everything that occurs within it: a **stream** of tokens ... syntax production operators shown in **Table** 1. '?', r ... **tag** (it consists only of a start **tag**> ...

[Cited by 5](#) - [Related articles](#) - [Web Search](#) - [Library Search](#) - [BI Direct](#) - [All 5 versions](#)

TCP: tag correlating prefetchers - [bell-labs.com](#) [PDF]

Z Hu, M Martonos, S Kaxiras - High-Performance Computer Architecture, 2003. HPCA-9 2003. ..., 2003 - [ieeeexplore.ieee.org](#)

... **tag** re-appears about 3 million times in the miss **stream**. ... misses repeatedly on a very small set of **tags**, indicating a moderate history **table** would capture the ...

[Cited by 28](#) - [Related articles](#) - [Web Search](#) - [All 15 versions](#)

SAM-I: a prototype machine for dynamic, array-oriented programming languages

RF Hobson, JD Hoskin, JL Simmons, RW Spilsbury - Computers and Digital Techniques, IEE Proceedings-, 1992 - [ieeeexplore.ieee.org](#)

... as a syntax watchdog, or it may combine that **function** with more ... a contour access **table** (CAT) **lookup** for the OR1 **tag** and data access **table** (DAT) index. ...

[Cited by 1](#) - [Related articles](#) - [Web Search](#) - [All 4 versions](#)

Developing a lexicon for automatic knowledge acquisition

FJ Rinaldo, RE Struiz, MW Evens - Expert Systems for Development, 1994., Proceedings of ..., 1994 - [ieeeexplore.ieee.org](#)

... The source file is a **stream** file over 30 ... and homograph numbers, lexical semantic relationship **tags**, etc. ... with a very volatile structure and very sparse **tables**. ...

[Related articles](#) - [Web Search](#) - [All 3 versions](#)

Personalized Electronic Commerce Services

RL Bartell, NA Blackwood, D Eggenschwiler, MH ... - Bell Labs Technical Journal, 1999 - [doi.wiley.com](#)

... MediaXact **tags** act as markers for a pagebuilder ... and uses its template interpreter to **parse** arguments that have ... then invokes the appropriate **functions** from the ...

[Cited by 4](#) - [Related articles](#) - [Web Search](#) - [BI Direct](#) - [All 3 versions](#)

Searching and Browsing a Shared Video Database

R Hjeltnes, R Mjølhus, O Sandstet - Multimedia Database Systems, 1996 - doi.ieeecomputersociety.org

... the **database** intersecting a given interval of a video **stream**. ... component, in the document's **table of contents** ... Each operation is tagged and these **tags** can be ...

Cited by 25 - Related articles - Web Search - All 5 versions

Call management mechanism for internet phone services based on SIP

MY Huh, W Hyun, SG Kang, PY Kim - High Speed Networks and Multimedia Communications 5th IEEE ..., 2002 - ieeeexplore.ieee.org

... **table**, location server shares that internal **table** to find ... mechanism to maintain the original **stream** of a ... enables to provide the flexible **function** to extension ...

Cited by 1 - Related articles - Web Search

Using XML to Integrate Existing Software Systems into the Web

H Sneed - COMPSAC-NEW YORK, 2002 - doi.ieeecomputersociety.org

... from the map and passes it on as a data **stream**. ... This is a relational **table** containing binary tuples. Each binary tuple associates an XML **tag** with a host ...

Cited by 11 - Related articles - Web Search - RI Direct - All 5 versions

Data interchange services: use of XML hub approach for the aerospace supply chain

P Ho, AJC Trappey, CV Trappey - International Journal of Technology Management, 2004 - Inderscience

... sharing among up **stream** and down **stream** partners, with ... **Table 2** The general methods of mapping services ... into an existing target field (**tag**) directly Additional ...

Cited by 8 - Related articles - Web Search - RI Direct - All 5 versions

[CITATION] Multi-stream Hidden Markov Models for Gene Recognition.

K Asai, T Hubbard - Proc. GP2000, 2000

Cited by 1 - Related articles - Web Search

An XML-based lightweight C++ fact extractor - [kent.edu](#) [PDF]

ML Collard, HH Kagdi, JI Maletic - Program Comprehension, 2003. 11th IEEE International ..., 2003 - ieeeexplore.ieee.org

... entities **parsed** and augmented with XML **tags** in the ... in the predicates since no symbol **table** is maintained ... simplified as parsers would also become **stream producers** ...

Cited by 41 - Related articles - Web Search - All 12 versions

[FSJ] Building chunk level representations for spontaneous speech in unrestricted domains: The CHUNKY ...

K Zechner, A Walbel, A Lavie, N Green - MS Project Report, CMU, Department of Philosophy. Available ..., 1997 - www-2.cs.cmu.edu

... at the hypothesis WER as a **function** of its ... constructions (or in this case: 'actions' in the **parse table**). ... to group frequently co-occurring **tags** together which ...

Cited by 5 - Related articles - View as HTML - Web Search - All 2 versions

SWIG: an easy to use tool for integrating scripting languages with C and C++

DM Beazley - ... conference on USENIX TeXt Workshop, 1996-Volume 4 table ..., 1996 - portal.acm.org

... fread reads from **stream** into the array ptr at most nobj ... edge.c create line \$x1 \$y1 \$x2 \-tags edge\ .c ... to get its pointer use it in calls to C **functions**. ...

Cited by 124 - Related articles - Web Search

SST: using single-sourcing, SGML, and teamwork for documentation

O Stieren - Proceedings of the 17th annual international conference on ..., 1999 - portal.acm.org

... 60 lines of variable definitions (mostly **stream** variables for ... process rule that outputs

the expanded **Table of Contents** ... element in your DTD -- one for each tag. ...

[Cited by 1](#) - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

Aspects of Database Machine Design Using the T9000, C104 and occam91

JM Kenridge, RJ Gates - Occam and the Transputer-Current Developments: WoTUG-14, ..., 1991 - books.google.com

... over a number of storage nodes we may be able to access the **table** partitions in ... The rows of data are then received until the **tag** end. result, **stream** is received ...

[Related articles](#) - [Web Search](#)

A self-describing data transfer model for ITS applications - *washington.edu [PDF]

DJ Dailey, S Maclean, FW Cathey, D Meyers - Intelligent Transportation Systems, IEEE Transactions on, 2002 - ieeeexplore.ieee.org

... for each row to be inserted into the **table** data for ... The **tag** number needs to be unique across the family ... block received from the TMS Data **Stream** represents that ...

[Cited by 11](#) - [Related articles](#) - [Web Search](#) - [Library Search](#) - [Bib. Direct](#) - [All 4 versions](#)

Parsing concurrent XML - *apple.org [PDF]

IE Jacob, A Dekhtyar - Proceedings of the 6th annual ACM international workshop on ..., 2004 - portal.acm.org

... top of SAXC, it converts the event **stream** into a ... **Table 1**: SAXC events (fragment) of **parsing** the distributed ... in the input documents, where start **tag**, end **tag** ...

[Cited by 9](#) - [Related articles](#) - [Web Search](#) - [All 7 versions](#)

[PDF] *Extensible Markup Language (XML) 1.0

T Bray, J Peoli, CM Sparberg-McQueen, E Maier, F ... - W3C Recommendation, 2000 - renderx.com

... **Table of Contents** ... simply stated, the elements, delimited by start- and end-**tags**, nest properly ... The **function** of the markup in an XML document is to describe its ...

[Cited by 2311](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 7 versions](#)

[CITATION] INTERFACE APPLICATIVE PERMETTANT A UN RECEPTEUR DE TELEVISION NUMERIQUE D'ACCEDER A DES INFORMATIONS ...

P PETERKA, T KASSMAN, G MANGALORE - WO Patent 27,114, 2060

[Web Search](#)

Efficient formalism-only **parsing** of XML/HTML using the δ -calculus - *thotsc.com [PDF]

QT Jackson - ACM SIGPLAN Notices, 2003 - portal.acm.org

... priority to real-time during the **parse** and data was **parsed** in memory, rather than from a file **stream**. ... xml q_tag' := <lang id [tag :att:rbUEesi ... **Table 1** ...

[Cited by 4](#) - [Related articles](#) - [Web Search](#) - [Bib. Direct](#) - [All 5 versions](#)

An implementation technique for **database** query languages

P Buneman, RE Frankel, R Nikhil - ACM Transactions on Database Systems (TODS), 1982 - portal.acm.org

... This indirect **reference** is essential in interpreted systems in order ... f), s), where f is some **function** that may be applied to elements of the **stream** s. extend is ...

[Cited by 57](#) - [Related articles](#) - [Web Search](#) - [Library Search](#) - [All 5 versions](#)

[PDF] *Parsing and Querying Xml Documents in Sml

A Neumann - 1999 - ubi.topus.fhtz-nrw.de

... 29 2.3.4 Byte-**Stream** Operations ... 112 6.5 The visiting order of a recursive **function** implementing an LFA. ... Page 13. List of **Tables** 2.1 X ML attribute types ...

[Cited by 22](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [All 9 versions](#)

Server side web scripting in Haskell

E MEIJER - Journal of Functional Programming, 2000 - Cambridge Univ Press

... type Mime as a raw byte stream on the ... Tag -> [(Name,Value)] -> [HTML] -> HTML element ::

Tag -> [HTML] -> HTML ... Table 2 gives a useful interface to HTML forms ...

[Cited by 46](#) - [Related articles](#) - [Web Search](#) - [BI Direct](#) - [All 4 versions](#)

[PDF] "X-DATABASES"--THE INTEGRATION OF XML INTO ENTERPRISE DATABASE MANAGEMENT SYSTEMS

L Davis - 2000 - [its.unc.edu](#)

... 4/19/1987<td><td>3000<td><td>20</td></tr> </table> </body> </html ... content) from the tags. ... When the XML processor parses an input stream, it maps the result to ...

[Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 2 versions](#)

Statistics based hybrid approach to Chinese base phrase identification

T Zhao, M Yang, F Liu, J Yao, H Yu - Proceedings of the second workshop on Chinese language ..., 2000 - portal.aclm.org

... so as to decrease its difficulty is a new stream in NIP ... n) indicates the boundary

tags, ci represents the base phrase tags. ... Table 3. Results after TBED Module ...

[Cited by 17](#) - [Related articles](#) - [Web Search](#)

[PDF] Parsec, a fast combinator parser

D Leijen - URL: <http://www.cs.uu.nl/daan/parsec.html>, 2000 - [research.microsoft.com](#)

... work on any input stream which allows ... is specified using the buildExpressionParser

function: ... Integer expr = buildExpressionParser table factor <?> "expression" ...

[Cited by 20](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 10 versions](#)

[PDF] A TOOLKIT FOR MANAGING XML DATA WITH A RELATIONAL DATABASE MANAGEMENT SYSTEM

R RAMANI - 2001 - [etd.fcla.edu](#)

... laying a foundation to the set of functions we want to provide in our ... individually

loaded into the various tables. ... In the XML document generated, tags are not ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [All 4 versions](#)

Light-weight XPath processing of XML stream with deterministic automata

M Onizuka - Proceedings of the twelfth international conference on ..., 2003 - portal.aclm.org

... Table 1: XML stream data XML Number of Number of max ... number of element declarations

in DTD and start tags in XML. 6.2 n-DFA and shared NFA state table results n ...

[Cited by 17](#) - [Related articles](#) - [Web Search](#) - [All 4 versions](#)

[PS] Speech recognition models of the interdependence among syntax, prosody and segmental acoustics

M Hasegawa-Johnson, J Cole, C Shiin, K Chen, A ... - Proceedings of IHLT/NAACL, 2004 - [acl.ldc.upenn.edu](#)

... in this ta-ble use a prosody-independent MFCC stream. ... window, thus the total system

computes prosodie tags of one ... results in this half of the table also use a ...

[Cited by 10](#) - [Related articles](#) - [Web Search](#) - [All 7 versions](#)

Efficient representation and streaming of XML content over theInternet medium

M Girardet, N Sundaresan, IBMAR Center, CA San ... - Multimedia and Expo, 2000. ICME 2000, 2000 IEEE ..., 2000 - [ieeexplore.ieee.org](#)

... Table 1. Millau compression rates versus GZIP ... We are currently working on various

schemes of encoding tags based upon ... the time to parse an XML stream (with and ...

[Related articles](#) - [Web Search](#)

[CITATION] PROCEDE ET APPAREIL DESTINES A FACILITER UNE TRANSACTION AL'INTERIEUR D'UNE INSTALLATION DE VENTE ...

#INC EBAY, A POON, S LEAHY, M WILSON - WO Patent 3,038,723, 2003

[Web Search](#)

[\[poc\] •Lightweight Web Browsing Through HTML Validation](#)

KM Liu - 1997 - [dsadatus.cs.berkeley.edu](#)

... In the encoded **stream**, there are three types of content units. ... They both have higher **tag-to-plain-text** ratio due to their ... **Table 3: Program code size comparison.** ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#)

[Target prediction for indirect jumps](#)

PY Chang, E Hao, YN Palt - ACM SIGARCH Computer Architecture News, 1997 - [portal.acm.org](#)

... that can redi- rect the instruction **stream**, which may ... Path History **Table 4** and **Table 6** show that using ... to compensate for the hardware used to store **tags.** ...

[Cited by 107](#) - [Related articles](#) - [Web Search](#) - [Ei Direct](#) - [All 10 versions](#)

[The Athena Language Learning Project NLP System: A Multilingual System for Conversation-Based ...](#)

S Feltsin - Intelligent Language Tutors: Theory Shaping Technology, 1995 - [books.google.com](#)

... kibbles) are passed in a **stream** to the ... the nth element of an output set with the same **tag**). ... rules sequentially, thus eliminating the global specificity **table.** ...

[Cited by 15](#) - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

[An object-oriented SGM/HyTime compliant multimedia database management system - *salberta.ca \[PDF\]](#)

MT Özsu, P Iglinski, D Szafron, S El-Medani, M ... - Proceedings of the fifth ACM international conference on ..., 1997 - [portal.acm.org](#)

... A **stream** identifies a particular file on the continuous media ... in the particular element's **tag.** ... The hash **table** implementation of the dictionary insures rapid ...

[Cited by 31](#) - [Related articles](#) - [Web Search](#) - [All 10 versions](#)

[\[poc\] •XUL-Creating Localizable XML GUI](#)

T Cheng - Fifteenth Unicode Conference, 1999 - [mozilla.org](#)

... In the above code segment, HTML **tags** "**table**", "**tr**", and ... **Table 1** Chrome registry: mapping chrome providers to URLs. ... The same XUL **stream** can be shared ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#)

[Mitre-Bedford: description of the Alembic system as used for MUC-5 - *uspenko.edu \[PDF\]](#)

J Aberdeen, J Burger, D Connolly, S Roberts, M ... - Proceedings of the 5th conference on Message understanding, 1993 - [portal.acm.org](#)

... of processing modules to Alembic is summarized in **Table 1** ... read in by, e.g., inserting any **tags** left implicit ... ordinary lexical items in the input **stream**, or (2) ...

[Cited by 6](#) - [Related articles](#) - [Web Search](#) - [Library Search](#) - [All 9 versions](#)

[\[ps\] •The NIST Express Toolkit-Design and Implementation](#)

D Libes - Proceedings of the Seventh Annual ACM Engineering Database ..., 1993 - [nist.gov](#)

... sub- routine is provided to **parse** a **stream** of EXPRESS ... file name>." Additional types can be added to this **table.** ... the user, it is still useful to **tag** each one ...

[Cited by 10](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 3 versions](#)

[An architecture for a generic dialogue shell - *rochesster.edu \[PDF\]](#)

J ALLEN, D BYRON, M DZIKOVSKA, G FERGUSON, L ... - Natural Language Engineering, 2001 - Cambridge Univ Press

... SR) Transforming speech input into a word **stream** or word ... words in the target domain associated with **tags** that don ... we have ported the TRIPS system (see **Table 1**) ...

[Cited by 110](#) - [Related articles](#) - [Web Search](#) - [BI Direct](#) - [All 14 versions](#)

[\[PDF\] •Software Infrastructure for Natural Language Processing](#)

H Cunningham, K Humphreys, R Gaizauskas, Y Wilks - Proceedings of the Fifth Conference on Applied Natural ..., 1997 - acl.ldc.upenn.edu
... to other markup that in- habits the same **stream** - unknown SGML ... In TIP- STER, the column of a **table** can be ... Marking columns in SGML re- quires a **tag** for each row ...

[Cited by 72](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 13 versions](#)

[\[PDF\] •Web-enabled Speech Synthesizer for Tamil](#)

P Prathiba, AG Ramakrishnan - Proceedings of Tamil Internet 2002 Conference, Chennai: Asian ..., 2002 - infilit.org
... and pitch is made and the information is stored as a look-up **table** for **reference** during ... The HTML parser scans the source as a **stream** of start **tags**, end **tags** ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] •User Driven Example-Based Training for Creating Lexical Knowledgebases](#)

JD Patrick, O Patko, R Munro, M Zappavigna - Australasian Natural Language Processing Workshop, Canberra, ..., 2002 - cs.usyd.edu.au
... **Table 1**: Comparative performance statistics on the use of Ferret ... the user is the list of **tags** that can ... XML output generator receives a contiguous **stream** of data ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 3 versions](#)

[Learning fuzzy decision trees - vixri.ms.it \(PS\)](#)

B Apolloni, G Zamponi, AM Zanaboni - Neural Networks, 1998 - Elsevier
... In the **stream** of learning from examples to select the ... **Table 6**. The 10 best experiments.
Tags {0 (binary), 1 (weighted), Statist { 0 (complete collection), 1 ...

[Cited by 17](#) - [Related articles](#) - [Web Search](#) - [BI Direct](#) - [All 8 versions](#)

[Mapping between ASN. 1 and XML - xosstech.ac.kr \(PDF\)](#)

T Imamura, H Maruyama - Applications and the Internet, 2001 - doi.ieeeecomputersociety.org
... ing to a value of the type (in **Table 1** , "root ... Each element in the event **stream** has a name such ... or " INTEGER", which directly corresponds to a **tag** in BER ...

[Cited by 13](#) - [Related articles](#) - [Web Search](#) - [All 6 versions](#)

[\[PDF\] •XML? We do that!](#)

A Friel, NC Cary - Proceedings of the 28 thSAS Users Group International ..., 2003 - sas.com
... values selected from recurring patterns in an XML input **stream**, creating distinct ...
The **tag** names are listed in the order in which you ... **TABLE TABLE TABLE TABLE** ...

[View as HTML](#) - [Web Search](#) - [All 2 versions](#)

[Programming the Web: The W3C DOM Specification](#)

L Wood - 1999 - doi.ieeeecs.org
... **Table 1**. Some differences between HTML and XML ... reads the HTML or XML document or data **stream** into the ... accommodates such a scenario using custom **tags** that allow ...

[Cited by 26](#) - [Related articles](#) - [Web Search](#) - [All 7 versions](#)

[\[PDF\] •Canonical XML Version 1.0](#)

J Boyer - W3C REC REC-xml-c14n-20010315, March, 2001 - nt.nyu.no
... or it must be converted from an octet **stream** to a ... The expressions in this **table** generate a node-set containing ... of the element's start and end **tags**, less the ...

[Cited by 65](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 2 versions](#)

TJ Green, G Miklau, M Onizuka, D Suciu - LECTURE NOTES IN COMPUTER SCIENCE, 2003 - Springer

... [book, **table**, chapter, note ... L data is the set of all root-to-leaf sequences of **tags**

in the ... Assuming that the XML **stream** conforms to a schema (or DTD), denote L ...

[Cited by 162](#) - [Related articles](#) - [Web Search](#) - [Bib. Direct](#) - [All 10 versions](#)

[PageGen: an effective scheme for dynamic generation of web pages](#)

N Al-Darwish - Information and Software Technology, 2003 - Elsevier

... In these statements, body represents some string (without quotes) that will be inserted into the output **stream** but it ... Custom XML **tags** and **table** formatting. ...

[Cited by 6](#) - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

[PDF] [Running agent-based simulations](#)

D Meyer, A Karatzoglou, G Buchta, F Leisch, K ... - 2001 - wu-wien.ac.at

... **Table 3:** The fields' domains ... the end of call symbol appears on the output **stream**

of the ... **setattr** **tag** where the 'name' and 'value' **tags** are replaced ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 6 versions](#)

[book] [A Standard ML Compiler](#) - [cs.ox.ac.uk](#) [PDF]

AW Appel, OB MacQueen - 1987 - Springer

... the input character **stream** into a **stream** of tokens ... representing constructor-expressions as pairs of (**tag**,value), and ... achieved by using a hash **table**; but then to ...

[Cited by 153](#) - [Related articles](#) - [Web Search](#) - [Library Search](#) - [All 18 versions](#)

[book] [Hacknotes Web Security Portable Reference](#)

M Shema - 2003 - books.google.com

... Instead, the **Reference Center** contains checklists for character encoding, SQL injection strings ... **Table 1-1** . Platform Profile Checklist What is its function? ...

[Cited by 4](#) - [Related articles](#) - [Web Search](#) - [Library Search](#) - [All 2 versions](#)

[Applying Multimedia Authoring Tool and XML Techniques to Standardized Knowledge Management for Web- ...](#)

YM Huang, CD Chang, PY Chiu, SC Huang, WCC Chu - LECTURE NOTES IN COMPUTER SCIENCE, 2002 - Springer

... **Table 1.** Available of Plug-ins by Scheme Type ... an on-line course by synchronizing course video **stream** and HTML ... XML meaningful **tags** can be defined by us, and then ...

[Cited by 7](#) - [Related articles](#) - [Web Search](#) - [Bib. Direct](#) - [All 5 versions](#)

[PS] [Multiple alignment, cognition and computing](#)

JG Wolff - SEECS Report, August, 1995 - informatics.bangor.ac.uk

... **Tags** are inserted so that the original patterns can be ... Such a **table** may be represented with a set of ... calculates the negation of the equivalence **function** may be ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 5 versions](#)

[WMS and GML based interoperable web mapping system](#) - [uminn.edu](#) [PDF]

S Shekhar, RR Vatsava, N Sahay, TE Burk, S Lime - Proceedings of the 9th ACM international symposium on ..., 2001 - portal.acm.org

... ideas underlying XML are very simple: **tags** on data ... the document as a serialized %event **Stream**" (a sequence of ... than one record in a second **table**, records may ...

[Cited by 28](#) - [Related articles](#) - [Web Search](#) - [All 7 versions](#)

[A Sequential Model for Multi-Class Classification](#) - [arxiv.org](#) [PDF]

Y Even-Zohar, D Roth - Arxiv preprint cs.AI/0106044, 2001 - arxiv.org

... a negative example for the rest of the **functions** (target nodes ... trains each **tag** against all other **tags**, while a ... **Table 3** compares the performance of the f 3 clas- ...

[Cited by 41](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 8 versions](#)

Text-to-Prosody **Parsing** in an Italian Speech Synthesizer. Recent Improvements

BG Fivela, S Quazza - Fifth European Conference on Speech Communication and ..., 1997 - ISCA

... computationally efficient, scanning the input **stream** left-to ... OPA) Prosodie Analyzers, Eloquens (ELQ) **Table 2** Number ... may be, enhance grammatical **tags** with lexico ...

[Related articles](#) - [Web Search](#)

Mapping and displaying structural transformations between XML and PDF - *nottingham.ac.uk (PDF)

MSB Hardy, DF Brakford - Proceedings of the 2002 ACM symposium on Document ..., 2002 - portal.acm.org

... OL 'tag maps to 'L' and the 'IMG' tag maps to ... P image Figure **table**, th, tr, td **Table**, TH, TR ... to be directly inserted into the troff output **stream**. ...

[Cited by 9](#) - [Related articles](#) - [Web Search](#) - [All 6 versions](#)

[book] DocBook: The Definitive Guide - *davidashburnell (PDF)

N Walsh, L Mueller - 1999 - books.google.com

... **Table** of Contents vii ... include one or more attributes, which are addi- tional terms that extend the **function** or refine the ... End **tags** cannot contain attributes. ...

[Cited by 216](#) - [Related articles](#) - [Web Search](#) - [Library Search](#) - [All 5 versions](#)

WASH/CGI: Server-Side Web Scripting with Sessions and Typed, Compositional Forms - *uni-koeln.de (PDF)

P Thiemann - LECTURE NOTES IN COMPUTER SCIENCE, 2002 - Springer

... input through the standard input **stream** and through ... WithHTML (elem -> g (element_ tag' [] [] a, tableElem ... name="s2" type="submit"> <**table**> <input value ...

[Cited by 63](#) - [Related articles](#) - [Web Search](#) - [BI Direct](#) - [All 6 versions](#)

Comprehensive framework for mobile ERP system

A Datkowsk, AM Jankowska - Database and Expert Systems Applications, 2003, Proceedings. ..., 2003 - ieeeexplore.ieee.org

... programming language objects and influence the output **stream**. ... inherent RDBMS features like **table** indexing or ... Apache Jakarta: XTags Library: **Tags** for Working ...

[Cited by 4](#) - [Related articles](#) - [Web Search](#) - [All 4 versions](#)

Design and implementation of the DTD-based XML parser

K Ning, L Meng - Communication Technology Proceedings, 2003 - iCCT 2003. ..., 2003 - ieeeexplore.ieee.org

... by each token-scanning operation from a **stream** of characters. ... appear only within start-**tags** and empty-element **tags**. ... as a field of a hash **table** to differentiate ...

[Related articles](#) - [Web Search](#)

Address-Free Memory Access Based on Program Syntax Correlation of Loads and Stores - *uni.edu (PDF)

L Pang, JK Peir, Q Ma, K Lai - IEEE Transactions on Very Large Scale Integration (VLSI) ..., 2003 - ieeeexplore.ieee.org

... is also invoked multiple times to perform bit-**stream** I/Os. ... For matching the PC of a load, proper **tags** are maintained in the value history **table**. ...

[Cited by 2](#) - [Related articles](#) - [Web Search](#) - [BI Direct](#) - [All 5 versions](#)

Implementation of a deductive database system using SQLBase

C Chee Keong, C Yin - Microprocessors and Microsystems, 1997 - Elsevier

... two words: the first word contains the **tag** and a ... **Table 1** Performance of the system ...

[13] JD Newmarch, Logic Programming: Prolog and Stream Parallel languages ...

[Related articles](#) - [Web Search](#) - [All 4 versions](#)

[PDF] Adaptive data mediation over XML data

H Lin, T Risch, T Katchenouchov - Journal of Applied System Studies, 2002 - user.it.uu.se

... be a file or a data **stream** containing nested ... data- bases; since only non-OO,
table-oriented, representations ... subelement of the element person, tag person is ...

[Cited by 15](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [All 3 versions](#)

BIOINFORMATICS

JM Tenkan, MR Gilder - Bioinformatics, 2003 - Oxford Univ Press

... the token sequence by applying the grammar productions, beginning with the start
symbol S, consuming the **stream** of tokens ... **Table 2**. Tags recognized and ...

[Related articles](#) - [Web Search](#)

Key authors: [J Hammer](#) - [I Tatarinov](#) - [D Burger](#) - [H Garcia-Molin...](#) - [J Cho](#)

Did you mean to search for: [table tags stream function](#) **passing** reference OR lookup OR database -patent

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

table tags stream function parsing r

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google